82740


Wickenburg Community Health Profile

The Arizona Department of Health Services, Division of Public Health collaborated and developed Community Health Profiles for 87 incorporated towns and cities in Arizona.

The purpose of the Community Health Profiles is to aggregate various data from different agencies, especially those programs within the Arizona Department of Health Services to provide a user-friendly community health profile for communities in Arizona.

The Community Health Profiles is in the initial phase of a long-term project to improve the accessibility of health-related data to communities and is a product of an Arizona Department of Health Services workgroup. Input for the indicators on this project has also been sought from community organizations.

The Community Health Profiles can be used by a variety of individuals, groups, and organizations to address a number of health issues. One of the goals of the project was to



provide the data in groupings (using headings such as demographics, birth measures, prevention measures, etc.) to highlight data that would facilitate health program planning, implementation, and improvement in communities.

Likely users may include:

2000

- Community members and consumers of health care: individuals, families, and representatives of municipalities, neighborhoods and other geographical areas
- Elected state and local officials
- · Professionals in public health, clinical care, social services and others
- Community advocates and organizers

The information contained in these community health profiles provide the basis for actions such as:

- 1. Determining the level of health that exists within the community
- 2. Discovering health strengths, problems or needs, and/or interventions to meet health needs that were not previously understood
- 3. Discover changes over time (trends) in population, health strengths and problems, and/or interventions
- 4. Make comparisons with other communities, the state or the nation
- 5. Examine relationships between health status and determinants of health (social environment, behavior, and health care resources)
- 6. Establish priorities among health problems and/or interventions
- 7. Evaluate interventions according to various dimensions such as relevance, adequacy, effectiveness, and impact
- 8. Initiate interventions directly or indirectly through others or in collaboration with others
- 9. Decide how to allocate resources among alternate interventions
- 10. Prepare and implement individual, institutional and community health improvement plans
- 11. Bring community members together around issues of interest; build coalitions and collaboration.

Because many of the indicators presented here are small numbers, the calculated rates are unstable. However, it is important for the community to have the information to make program decisions and/or investigate the issues presented here. Community Health Profiles are updated and published annually.

For more information about this effort please contact Patricia Tarango at (602) 542-1219. To receive this document in alternative format contact Rodney Cluff at (602) 542-2998.

Page 1 of 8

| DEMOGRAPHICS | Wickenburg | MARICOPA | ARIZONA | NATIONAL |
|-------------------------|------------|-----------|-----------|-------------|
| POPULATION ¹ | 5,082 | 3,072,149 | 5,130,632 | 281,421,906 |
| <1 | 49 | 49,108 | 77,421 | 3,805,648 |
| 1-4 | 215 | 192,866 | 304,965 | 15,370,150 |
| 5-14 | 560 | 460,278 | 768,080 | 41,077,577 |
| 15-24 | 502 | 439,116 | 730,582 | 39,183,891 |
| 25-34 | 442 | 488,329 | 742,665 | 39,891,724 |
| 35-44 | 596 | 475,907 | 768,804 | 45,148,527 |
| 45-54 | 617 | 366,464 | 627,904 | 37,677,952 |
| 55-64 | 643 | 241,102 | 442,372 | 24,274,684 |
| 65-74 | 753 | 188,816 | 363,841 | 18,390,986 |
| 75-84 | 538 | 130,036 | 235,473 | 12,361,180 |
| 85+ | 167 | 40,127 | 68,525 | 4,239,587 |
| % <1 | 1.0 % | 1.6 % | 1.5 % | 4,239,367 |
| % 1-4 | 4.2 % | 6.3 % | 5.9 % | 5.5 |
| % 5-14 | 11.0 % | 15.0 % | 15.0 % | 14.6 |
| % 15-24 | 9.9 % | 14.3 % | 14.2 % | 13.9 |
| % 25-34 | 8.7 % | 15.9 % | 14.5 % | 14.2 |
| % 35-44 | 11.7 % | 15.5 % | 15.0 % | 16.0 |
| % 45-54 | 12.1 % | 11.9 % | 12.2 % | 13.4 |
| % 55-64 | 12.7 % | 7.8 % | 8.6 % | 8.6 |
| % 65-74 | 14.8 % | 6.1 % | 7.1 % | 6.5 |
| % 75-84 | 10.6 % | 4.2 % | 4.6 % | 4.4 |
| % 85+ | 3.3 % | 1.3 % | 1.3 % | 1.5 |
| Race | 0.0 70 | 1.0 70 | 1.0 70 | |
| White | 93.4 % | 79.8 % | 77.9 % | 77.1 |
| American Indian | 2.0 % | 2.5 % | 5.7 % | 1.5 |
| Black | 0.4 % | 4.3 % | 3.6 % | 12.9 |
| Asian/Pacific Islander | 1.0 % | 3.0 % | 2.6 % | 4.5 |
| Other | 3.2 % | 10.4 % | 10.2 % | 6.6 |
| Ethnicity | 0.2 70 | 10.1.70 | .0.2 /0 | |
| Hispanic | 11.0 % | 24.8 % | 25.3 % | 12.5 |
| Gender | | | | |
| Female | 52.9 % | 50.0 % | 50.1 % | 50.9 |
| Male | 47.1 % | 50.0 % | 49.9 % | 49.1 |
| Population Density | 441.7 | 333.8 | 45.2 | 79.6 |

¹ Population and Ethnicity, 2000 Census Summary File 1 (SF1). Hispanics are an ethnic group. Racial groups add to 100%. Races alone or in combination with one or more other races data used. Population Density = Population Year 2000 / Square Miles, 2000 Census SF1.

2000 Page 2 of 8

| | Wickenburg | MARICOPA | ARIZONA | NATIONAL |
|---|------------|----------|----------|------------|
| ADDITIONAL DEMOGRAPHICS | J | | | |
| INCOME ² | | | | |
| Population under 100% of FPL | 11.4 % | 11.7 % | 13.9 % | 12.4 % |
| Population under 125% of FPL | 16.8 % | 15.8 % | 18.7 % | 16.5 % |
| Population under 185% of FPL | 33.2 % | 26.7 % | 30.8 % | 27.1 % |
| Population under 200% of FPL | 34.5 % | 29.2 % | 33.5 % | 29.6 % |
| Median Household Income | \$32,400 | \$49,500 | \$44,300 | \$42,000 |
| Population >25 yrs without H.S. diploma | 21.8 % | 17.5 % | 19.0 % | 19.6 % |
| INSURANCE 3 | | | | |
| Medicare Recipients | 715 | 315,097 | 572,487 | 38,782,000 |
| % of Medicare Recipients | 14.1 % | 10.3 % | 11.2 % | 13.8 % |
| AHCCCS Enrollees | 227 | 283,838 | 576,083 | NC |
| % of AHCCCS Enrollees | 4.5 % | 9.2 % | 11.2 % | NC |
| KidsCare Enrollees | 19 | 20,843 | 41,257 | NC |
| % of KidsCare Enrollees | 1.7 % | 2.3 % | 2.7 % | NC |
| Adults without medical insurance | NA | 14.7 % | 17.1 % | 13.8 % |
| Adults without dental insurance | NA | 38.0 % | 42.1 % | 36.7 % |
| Children without dental insurance | 31.0 % | NA | 24.0 % | NA |
| Percent Unemployed | 3.4 % | 2.6 % | 3.7 % | 5.3 % |
| Food Stamp Recipients | 163 | 39,121 | 260,895 | 6,409,783 |
| Children WIC Recipients | 281 | 83,844 | 150,132 | 3,551,093 |
| Women WIC Recipients | 165 | 87,954 | 139,916 | 1,748,792 |
| Children's Rehabilitative Services Participants | 9 | 8,106 | 16,153 | NA |

NC - Not Comparable

NA - Not Available

2000 Page 3 of 8

Percent of 2000 population under Federal Poverty Level (FPL), Census 2000 SF3, Median Household Income (rounded to nearest hundred), percent of 2000 population 25 years of age or older with less than a High School Diploma, 2000 Census, Summary File 3 (SF3).
 Medicare Recipients, age >=65: Centers for Medicare & Medicaid Services, 07/01/00, percent of 2000 population on Medicare.

³ Medicare Recipients, age >=65: Centers for Medicare & Medicaid Services, 07/01/00, percent of 2000 population on Medicare.

AHCCCS enrollees, percent of 2000 population on AHCCCS. KidsCare Enrollees, percent of 0-19 2000 population, Arizona Health Care Cost

Containment System (AHCCCS), 12/31/2000. Adults without medical and dental insurance, Behavioral Risk Factors survey, percent of respondents in the affirmative, Arizona Department of Health Services, Office of Epidemiology and Statistics, 2000. Children without dental insurance, Arizona Department of Health Services, Office of Oral Health, Arizona School Dental Survey, "Every Tooth Counts," 1999-2003, Children in public schools in grades Kindergarten through Third Grade. Percent of Work Force Unemployed, Arizona, Arizona Department of Economic Security, 2000; National, Census 2000 Supplementary Survey. Food Stamp recipients, City & State, Arizona Department of Economic Security, 2000; National Census 2000 Supplementary Survey. Women, Infants and Children (WIC), Arizona, Arizona Department of Economic Security, 2000; National, U.S. Department of Agriculture, Food and Nutrition Service, FY 2000. Children Rehabilitative Services Participants, count of eligible members, Arizona Department of Health Services, Office for Children with Special Health Care Needs, 2000.

| | Wickenburg | MARICOPA | ARIZONA | NATIONA |
|---------------------------------------|------------|-------------------|---------|---------|
| OMMUNITY RESOURCES | | | | |
| PERSONNEL 4 | | | | |
| Primary Care Physicians | 9 | 2,841 | 4,507 | N |
| Dentists | 4 | 2,226 | 3,386 | N |
| Mental Health Providers | 0 | 338 | 490 | N |
| Nurse Practitioners | 1 | 969 | 1,707 | N |
| Physician Assistants | 1 | 392 | 657 | N |
| Certified Nurse Midwives | 0 | 57 | 146 | N |
| DESIGNATIONS 5 | | | | |
| Is community in a PC HPSA? | Yes | | | |
| Is community in a Dental HPSA? | Yes | | | |
| Is community in a Mental HPSA? | Maricopa | County Jails Only | | |
| Is community in a fed MUA or MUP? | Yes | | | |
| Is community in an AzMUA? | Yes | | | |
| Is community designated as Rural? | No | | | |
| FACILITIES 6 | | | | |
| Sliding Fee Scale clinics in the area | 3 | 73 | 145 | N |
| School Based clinics in the area | 0 | 59 | 64 | N |
| NonFederal Hospitals | 1 | 37 | 79 | N |
| Hospital bed capacity | 23 | 6,726 | 11,157 | N |

NC - Not Comparable

NA - Not Available

2000 Page 4 of 8

⁴ Primary Care Physicians, active Medical Doctors in Family Practice, General Practice, Gynecology, Internal Medicine, Obstetrics & Gynecology, Pediatrics, and all active Osteopathic Physicians. Medical Doctors and Physician Assistants, Arizona Board of Medical Examiners. Medical Doctors, Oct 2000, Physician Assistants, Feb 2000. Osteopathic Physicians, Arizona Board of Osteopathic Examiners, Oct 2000. Dentists, Arizona Board of Dental Examiners, Oct 2000. Nurse Practitioners, Arizona State Board of Nursing, Nov 2000, Certified Nurse Midwives, Arizona State Board of Nursing, December 2000.

⁵ Currently designated Primary Care (PC) Health Professional Shortage Area (HPSA), Dental or Mental HPSA designation, Federal Medically Underserved Area or Population (fed MUA or MUP), AzMUA, Arizona Medically Underserved Area: Arizona Department of Health Services, Office of Health Systems Development.

⁶ Current Sliding Fee Scale primary care clinics, (Per AAC Title 9, chapter 2, section R9-2-101: A "sliding fee schedule" means a document that sets forth the relationship between an individual's income and family size and states the percentage of the charges for health care services provided pursuant to A.R.S. 36-2907.06 for which the individual will be responsible). School Based/School Linked Health Clinics --Tobacco Tax School Based clinics, Office of Health Systems Development, ADHS. NonFederal Hospitals and Beds, Arizona Department of Health Services, Assurance & Licensure Services, Oct 2000.

| • | Wickenburg | MARICOPA | ARIZONA | NATIONAL |
|--|------------|--------------------|---------|-----------|
| RTH MEASURES ⁷ | | | | |
| Total Births | 71 | 54,470 | 84,985 | 4,058,814 |
| Birth rate per 1,000 population | 14.0 | 17.7 | 16.6 | 14.7 |
| Fertility rate per 1,000 females aged 15-44 yrs | 90.3 | 80.7 | 78.4 | 67.5 |
| Births to females aged 10-19 yrs | 11 | 7,212 | 12,189 | 477,509 |
| Birth rate per 1,000 females aged 10-19 yrs | 39.3 | 34.2 | 33.7 | 17.2 |
| Births to females aged 15-19 yrs | 11 | 7,076 | 11,973 | 468,990 |
| Birth rate per 1,000 females aged 15-19 yrs | 80.9 | 68.9 | 67.6 | 48. |
| Births to females aged 15-17 yrs | 3 | 2,556 | 4,284 | 157,20 |
| Birth rate per 1,000 females aged 15-17 yrs | 33.0 | 42.3 | 41.1 | 27. |
| Low-birthweight (LBW) babies (<2,500 grams) | 1 | 3,711 | 5,975 | 307,03 |
| LBW babies per 100 births | 1.4 | 6.8 | 7.0 | 7. |
| Preterm babies (<37 weeks of gestation) | 3 | 5,664 | 8,714 | 430,23 |
| Preterm babies per 100 births | 4.2 | 10.4 | 10.3 | 10. |
| No prenatal care during pregnancy | 1 | 1,036 | 1,788 | 44,62 |
| No prenatal care per 100 births | 1.4 | 1.9 | 2.1 | 1. |
| No prenatal care in the 1st trimester | 17 | 12,352 | 21,288 | 774,55 |
| No prenatal care in 1st trimester per 100 births | 23.9 | 22.7 | 25.0 | 19. |
| Five or more prenatal visits | 0 | 48,582 | 75,536 | 3,737,34 |
| Five or more prenatal visits per 100 births | .0 | 89.2 | 88.9 | 92. |
| Payee for births: AHCCCS or IHS | 31 | 22,539 | 37,566 | N |
| Births paid for by AHCCCS or IHS per 100 births | 43.7 | 41.4 | 44.2 | N |
| Payee for births: private insurance | 31 | 29,469 | 42,884 | N |
| Births paid by private insurance per 100 births | 43.7 | 54.1 | 50.5 | N/ |
| Payee for births: self | 0 | 1,529 | 2,702 | N |
| Self-paid births per 100 births | .0 | 2.8 | 3.2 | N |
| Births to unwed mothers | 23 | 20,356 | 33,438 | 1,347,04 |
| Births to unwed mothers per 100 births | 32.4 | 37.4 | 39.3 | 33. |
| Tobacco use during pregnancy | 0 | 3,359 | 5,807 | 425,09 |
| Tobacco use during pregnancy per 100 births | .0 | 6.2 | 6.8 | 10. |
| NC - Not Compara | able | NA - Not Available | | |

⁷ Characteristics of Arizona mothers and newborns are based on information collected on birth certificates filed with the Arizona Department of Health Services, Office of Vital Records. The data for National are from "Births: Final Data for 2000," National Vital Statistics Reports, Volume 50, Number 5, February 12, 2002, Hyattsville, Maryland, National Center for Health Statistics. Population denominators for Arizona residents, used to calculate rates, are census enumerations for 2000 from the U.S. Census Bureau. Additional information on Arizona mothers and newborns is available online at http://www.hs.state.az.us/plan/.

2000 Page 5 of 8

| | Wickenburg | MARICOPA | ARIZONA | NATIONA |
|---|------------|----------|---------|----------|
| ATH MEASURES ⁸ | · · | | | |
| Total deaths, all ages | 125 | 22,600 | 40,202 | 2,403,35 |
| Deaths per 100,000 population | 2,459.7 | 735.6 | 783.6 | 873. |
| Deaths per 100,000 age-adjusted population | 1,318.4 | 785.4 | 785.6 | 872. |
| CAUSE-SPECIFIC MORTALITY | | | | |
| Accidents (Unintentional injury) deaths | 7 | 1,029 | 2,087 | 97,90 |
| Death rate for accidents | 116.6 | 34.6 | 41.1 | 35. |
| Deaths from motor vehicle-related injuries | 4 | 446 | 896 | 43,35 |
| Death rate for motor vehicle-related injuries | 86.4 | 14.6 | 17.5 | 15. |
| Alcohol-induced deaths | 1 | 184 | 436 | 19,35 |
| Death rate for alcohol-induced deaths | 8.8 | 6.5 | 8.7 | 7. |
| Intentional self-harm (suicide) | 4 | 381 | 737 | 29,35 |
| Suicide rate | | 12.7 | 14.6 | 10 |
| Assault (homicide) | 0 | 242 | 394 | 16,76 |
| Homicide rate | .0 | 7.6 | 7.6 | 6 |
| Drug-induced deaths | 1 | 120 | 334 | 19,69 |
| Mortality rate for drug-induced deaths | 27.3 | 4.0 | 6.8 | 7 |
| Deaths from injury by firearms | 4 | 423 | 785 | 28,66 |
| Death rate for injury by firearms | 53.2 | 13.8 | 15.3 | 10 |
| Deaths from cardiovascular diseases | 28 | 7,847 | 13,950 | 936,92 |
| Death rate for cardiovascular diseases | 273.4 | 277.2 | 276.1 | 339 |
| Deaths from cancer | 34 | 5,069 | 8,994 | 553,09 |
| Death rate for cancer | 329.0 | 174.1 | 170.4 | 201 |
| Deaths from diabetes | 6 | 522 | 993 | 69,30 |
| Death rate for diabetes | 56.2 | 18.1 | 19.0 | 25 |
| AGE-SPECIFIC MORTALITY | | | | |
| Number of infant deaths (<1 yr of age) | 0 | 356 | 568 | 28,03 |
| Number of infant deaths per 1,000 births | .0 | 6.5 | 6.7 | 6 |
| Number of deaths by age group: | | | | |
| 1-4 | 0 | 66 | 112 | 4,97 |
| 5-14 | 0 | 79 | 159 | 7,41 |
| 15-24 | 3 | 362 | 670 | 31,30 |

⁸ These mortality rates are per 100,000 population age-adjusted to the 2000 U.S. standard. Age-adjusted mortality rates are better indicators than crude (unadjusted) death rates when comparing mortality across geographic areas or between subgroups of population that have different age compositions. Technical information on computing age-adjusted mortality rates is available online at http://www.hs.state.az.us/plan/2001ahs/source01.pdf. Age-specific and cause-specific mortality profiles are based on information collected on death certificates filed with the Arizona Department of Health Services, Office of Vital Records. The data for National are from "Deaths: Final Data for 2000," National Vital Statistics Reports, Volume 50, Number 15, September 16, 2002, Hyattsville, Maryland, National Center for Health Statistics. Population denominators for Arizona residents, used to calculate rates, are census enumerations for 2000 from the U.S. Census Bureau. Additional information on deaths to Arizona residents is available online at http://www.hs.state.az.us/plan/.

2000 Page 6 of 8

| | Wickenburg | MARICOPA | ARIZONA | NATIONAL |
|---|------------|--------------------|----------|----------|
| DEATH MEASURES Continued | _ | | | |
| 25-34 | 0 | 505 | 887 | 40,451 |
| 35-44 | 4 | 948 | 1,666 | 89,798 |
| 45-54 | 4 | 1,507 | 2,755 | 160,341 |
| 55-64 | 9 | 2,122 | 4,030 | 240,846 |
| 65-74 | 26 | 4,070 | 7,733 | 441,209 |
| 75-84 | 47 | 6,696 | 11,871 | 700,445 |
| 85+ | 32 | 5,878 | 9,719 | 658,171 |
| Mortality rates by age groups per 100,000 per | rsons: | | | |
| 1-4 | 0 | 34.2 | 36.7 | 32.9 |
| 5-14 | 0 | 17.2 | 20.7 | 18.7 |
| 15-24 | 597.6 | 82.4 | 91.7 | 81.6 |
| 25-34 | 0 | 103.4 | 119.4 | 108.1 |
| 35-44 | 671.1 | 199.2 | 216.7 | 200.0 |
| 45-54 | 648.3 | 411.2 | 438.8 | 431.6 |
| 55-64 | 1,399.7 | 880.1 | 911.0 | 1,004.6 |
| 65-74 | 3,452.9 | 2,155.5 | 2,125.4 | 2,428.6 |
| 75-84 | 8,736.1 | 5,149.3 | 5,041.3 | 5,688.4 |
| 85+ | 19,161.7 | 14,648.5 | 14,183.1 | 15,321.5 |
| INFECTIOUS DISEASES (cases of) 9 | | | | |
| Vaccine Preventable Diseases | <3 | 62 | 137 | 2,356 |
| Hepatitis A/Shigellosis | <3 | 482 | 1,042 | 12,521 |
| Sexually Transmitted Diseases | 6 | 12,186 | 18,067 | 331,905 |
| HIV/AIDS | <3 | 62 | 788 | 12,725 |
| Food Borne Diseases | <3 | 757 | 1,492 | 25,557 |
| Tuberculosis | <3 | 157 | 261 | 3,729 |
| CANCER (new cases of) 10 | | | | |
| Breast Cancer | <5 | 1,872 | 3,204 | 184,200 |
| Cervical Cancer | 0 | 84 | 168 | 12,800 |
| Colorectal Cancer | | 1,372 | 2,378 | 130,200 |
| Lung Cancer | 10 | 1,723 | 2,984 | 164,100 |
| Prostate Cancer | 9 | 1,505 | 2,538 | 180,400 |
| IMMUNIZATION 11 | | | | |
| Immunized 2 yr olds | 75.0 % | 51.5 % | 71.3 % | 74.2 % |
| NC - Not Con | nnarahla | NA - Not Available | | |

⁹ Vaccine preventable diseases include the number of reported cases of measles, mumps, diphtheria, tetanus, rubella, congenital rubella, pertussis, polio and Haemophilus influenzae type b. Sexually Transmitted Diseases include cases of chlamydia, gonorrhea and syphilis. For HIV/AIDS, if the number of reported cases is between 0 and 3 then, then the count will show as <3. Food borne diseases include campylobacteriosis, cryptosporidiosis, E. coli O157:H7, listeriosis, paratyphoid, typhoid fever, salmonellosis, vibriosis and yersiniosis. For Tuberculosis, if the number of reported cases is between 0 and 3, then the count will show as <3. All cases must meet the CSTE/CDC Case Definitions for Public Health Surveillance. Arizona Department of Health Services (ADHS), Bureau of Epidemiology and Disease Control, Cases reported in the calendar year 2000. National, Vaccine Preventable Diseases include measles, mumps, rubella, pertussis, and Haemophilus influenzae type b, AIDS Cases, Food Borne Diseases include salmonellosis, shigellosis, listeriosis, cryptosporidiosis and E. coli, Centers for Disease Control and Prevention (CDC) MMWR Summary Report for 2000.

2000 Page 7 of 8

¹⁰ Cancer cases: ADHS, Arizona Cancer Registry, 2000. National, CDC MMWR Summary Report for 2000.

¹¹ Immunization, percent of 2000 Census 2 year old children immunized 4 DTP/DTap, 3 Polio, 1 MMR, 3 HIB (4-3-1-3), ADHS, Arizona State Immunization System; State and National, percent of 2 year old children immunized 4-3-1-3, 2000 National Immunization Survey, CDC.

| | Wickenburg | MARICOPA | ARIZONA | NATIONAL |
|---|------------|--------------------|---------|----------|
| ORAL HEALTH 12 | | | | |
| Untreated Tooth Decay (6-8 year olds) | 31.0 % | 35.0 % | 41.0 % | 29.0 % |
| Tooth Decay Experience (6-8 year olds) | 54.0 % | 57.0 % | 62.0 % | 52.0 % |
| Urgent Treatment Needs (6-8 year olds) | 7.0 % | 9.0 % | 9.0 % | NA |
| Sealants Present (8 year olds) | 17.0 % | 31.0 % | 28.0 % | 23.0 % |
| BEHAVIORAL RISK FACTORS 13 | | | | |
| Alcohol Abuse (Binge Drinking) | NA | NA | NA | 3.8 % |
| Alcohol Abuse (Chronic Drinking) | NA | NA | NA | 1.0 % |
| Drinking and Driving | NA | NA | NA | 0.8 % |
| Believe Medium/High Chance of Getting HIV | NA | 5.2 % | 4.9 % | 7.0 % |
| Ever tested for HIV | NA | 56.4 % | 59.7 % | 51.2 % |
| Ever told have Diabetes | NA | 6.1 % | 5.9 % | 6.4 % |
| Ever told have High Blood Pressure | NA | NA | NA | 25.1 % |
| Less than 5 Fruits and Vegetables per Day | NA | 63.8 % | 63.1 % | 74.0 % |
| Never had a Mammogram and Breast Exam | NA | 10.9 % | 11.1 % | 7.3 % |
| No Mammogram within the past 2 years | NA | 8.0 % | 9.9 % | 15.1 % |
| No Pap Test within the past 3 years | NA | 7.4 % | 8.5 % | 11.6 % |
| No Leisure Time Physical Activity | NA | 34.8 % | 34.1 % | 27.2 % |
| No Cholesterol Check within 5 years | NA | NA | NA | 29.7 % |
| No Blood Pressure Check within 2 years | NA | NA | NA | 0.5 % |
| Obesity | NA | 21.0 % | 18.1 % | 19.5 % |
| Tobacco Use (Adults) | NA | 19.4 % | 18.5 % | 22.2 % |
| Would Not Encourage Teen Condom Use | NA | NA | 1.8 % | 2.1 % |
| HOSPITALIZATIONS 14 | | | | |
| Asthma | 196.8 | 105.3 | 99.3 | NA |
| Diabetes | 216.5 | 121.2 | 132.8 | NA |
| Heart Attack | 255.8 | 203.9 | 214.3 | NA |
| Stroke | 137.7 | 38.6 | 38.4 | NA |
| Traumatic Brain Injury | 8 | 2,906 | 4,615 | NA |
| SUMMARY MEASURES OF HEALTH 15 | | | | |
| Average age at death | 75.5 | 71.7 | 71.6 | NA |
| Premature Mortality | 43.2 % | 49.6 % | 51.6 % | NA |
| Self-rated health status as Fair or Poor | NA | NA | 14.8 % | 15.5 % |
| Avg No. of Unhealthy Days in Past Month | NA | NA | 10.7 % | 9.9 % |
| NC - Not Comp | | NA - Not Available | | |

¹² Oral Health, ADHS, Arizona School Dental Survey, "Every Tooth Counts," 1999-2003, Children in public schools in grades Kindergarten through Third Grade. "Urgent" means children with pain and/or infection requiring treatment within a 24-hour period. Sealants Present on at least one permanent molar. County data based on a probability sample by community and therefore may not be representative of the county as a whole. National data, National Center for Health Statistics. National Health and Nutrition Examination Survey III 1988-1994. Hyattsville, MD: Centers for Disease Control and Prevention (CDC), unpublished data.

2000 Page 8 of 8

¹³ Behavioral Risk Factors, percent of respondents in the affirmative. Data is available by National, state, regional levels, and Maricopa and Pima counties, Arizona Department of Health Services, Office of Epidemiology and Statistics, 2000.

¹⁴ Asthma, Diabetes, Heart Attack, Stroke hospitalizations per 100,000 residents, year 2000, Arizona Department of Health Services, Bureau of Public Health Statistics, Hospital Discharge Registry. Traumatic Brain Injury, number of incident cases identified from Arizona Department of Health Services Hospital Discharge data for 1999, unduplicated and excluding emergency department and federal hospital discharges.

¹⁵ Premature Mortality, percent of deaths occurring before the U.S. birth life expectancy for 2000 (76.9 years for all U.S. residents in 2000), Arizona Department of Health Services, Office of Vital Records. Self-rated health status from the Behavioral Risk Factors Survey on a scale of Excellent, Very Good, Good, Fair, or Poor, year 2000, Arizona Department of Health Services, Office of Epidemiology and Statistics. Average number of unhealthy days in the past month, Centers for Disease Control and Prevention, 2000.